according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1. Product identifier

Trade name(s) Senatel™ Pulsar™

Other means of identification

Other names Not applicable

Chemical name Not applicable

INDEX number as listed in Not applicable Annex VI of CLP

ID number of the C&L inventory Not applicable

CAS number Not applicable

REACH registration no(s) Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) SU 2a - Mining, (without offshore industries)

Use(s) advised against

Usage of the product only according to existing laws and official permissions.

Function(s) of substance / SenatelTM PulsarTM is a water resistant packaged explosive designed to priming applications or as column charge in very hard rocks.

1.3. Details of the supplier of the safety data sheet

Supplier Orica UK Limited

North Quarry Business Park

Skull House Lane

Appley Bridge

Wigan WN6 9DL

United Kingdom

Phone / Fax / Email +44 (0) 1257 256 100 / +44 (0) 1257 255 670 / andy.rossiter@orica.com

Technical support +44 (0) 1257 256 100





Page 1 of 30 Printing date: 2013-10-17

according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

Contact to the responsible person for safety data sheet

sds.emea@orica.com

1.4. Emergency telephone number

Emergency phone number

For medical advice call: +49 (0) 551 19240

(GIZ-Nord, Göttingen, Germany) (Member of EPECS network)

For chemical emergencies (spill, leak, fire, exposure or accident), call:

+44 (0) 1928 572 000

SECTION 2: Hazards identification

H201 - Explosive, mass explosion hazard.

H272 - May intensify fire; oxidiser.

H319 - Causes serious eye irritation.

Risk of explosion by shock, friction, fire or other sources of ignition.

2.1 Classification of the substance or mixture

The mixture is classified as dangerous within the meaning of Regulation (EC) No 1272/2008.

The preparation is classified as dangerous according to Directive 1999/45/EC.

Classification in accordance with Regulation (EC) No. 1272/2008

Hazard class / category	Hazard statement(s)	Classification method	Additional Information
Expl. 1.1	H201	UN RTDG	CLP - figure 2.1.3
Ox. Sol. 3	H272	-	-
Eye Irrit. 2	H319	1272/2008/EC	Tab. 3.3.3

Wording of Hazard statements (H, EUH): see section 16.





Safety Data Sheet according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 : 02.0 Issue Date of revising: 2013-09-20

Classification in accordance with Directive 67/548/EEC or Directive 1999/45/EC					
Properties or classification letter	R phrases				
Е	R2	Risk of explosion by shock, friction, fire or other sources of ignition.			
0	R8	Contact with combustible material may cause fire.			
Xi	R36	Irritating to eyes.			
No additional information					

Label elements

Labelling in accordance with Regulation (EC) No. 1272/2008

Product identifier	Senatel™ Pulsar™
Index or C&L number	Not applicable
Hazardous component(s)	Ammonium nitrate, EC No.: 229-347-8 Distillates (petroleum), solvent-dewaxed light paraffinic, Index No.: 649-469-00-9
Authorisation number	Not applicable

Hazard pictogram(s)



	•	
Signal word	Danger	
Hazard statement(s)	H201	Explosive, mass explosion hazard.
Precautionary statement(s)	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P250	Do not subject to grinding / shock / / friction.
	P280	Wear protective gloves / protective clothing / eye protection / face protection.
	P370+P380	In case of fire: Evacuate area.
	P372	Explosion risk in case of fire.
	P373	DO NOT fight fire when fire reaches explosives.
Senatel Pulsai	r" A ALL.	Page 3 of 30

Printing date: 2013-10-17





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

Additional Information (EU)

Additional Labelling

Use of special provisions according to 1272/2008/EC art. 23e.

Labelling in accordance with Directive 67/548/EEC or Directive 1999/45/EC

Hazard symbol(s)

Note

Identification of danger Explosive

R phrases R2 Risk of explosion by shock, friction, fire or other sources of ignition.

S phrases S15 Keep away from heat.

S16 Keep away from sources of ignition — No smoking.

S20/21 When using do not eat, drink or smoke.

S33 Take precautionary measures against static discharges.

S36/37/39 Wear suitable protective clothing, gloves and eye / face protection.

Note Use of special provisions according to 67/548/EEC art. 25(1) and 1999/45/EC art. 12(1).

2.3. Other hazards

Results of PBT and vPvB

assessment

Based on the current available information for the used ingredients, the PBT and vPvB criteria of Regulation (EC) No 1907/2006, Annex XIII will not be met.

Other hazards

Stythe is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

All chemicals are potentially dangerous, they should only be handled by properly

trained personnel with the necessary care.

Page 4 of 30 Printing date: 2013-10-17

Additional Information

Specific concentration limits

Not applicable





Safety Data Sheet according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 : 02.0 Issue Date of revising : 2013-09-20

SECTION 3:	Com	nosition .	/ info	rmation	on ind	redients
SECTION 3.	COIII			Illiauoli	OII IIIG	Culcillo

Packaged emulsion explosive inlaid in a plastic wrap with metallic clips at both sides.

3.1. **Substances**

Not applicable

Substance	Registration No. Index or C&L number	EC No. CAS No.	Classification (1272/2008/EC) Classification (67/548/EEC)	Content (w/w)
-	-	-	-	-

3.2. **Mixtures**

Substance	Registration No. Index or C&L number	EC No. CAS No.	Classification (1272/2008/EC) Classification (67/548/EEC)	Content (w/w)
Ammonium nitrate	01-2119490981-27-XXXX Not applicable	229-347-8 6484-52-2	H272, H319 <i>R</i> 8-36	70-90
Distillates (petroleum), solvent-dewaxed light paraffinic	01-2119480132-48-XXXX 649-469-00-9	265-159-2 64742-56-9	H304 ¹⁾ <i>R65</i>	3-9

¹⁾ less than 3 % DMSO extract as measured by IP 346

Comments

Additional information

Wording of R phrases and hazard statements (H, EUH): see section 16.





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

SECTION 4: First aid measures

4.1. Description of first aid measures

- IF exposed or concerned: Get medical advice / attention.
- In case of unintentional ignition usual first aid measures are to be applied for bruises, wounds and burns.
- Remove affected person from the danger area and lay down.
- Do not leave affected person unattended.
- When in doubt or if symptoms are observed, get medical advice.
- If unconscious place in recovery position and seek medical advice.

In case of eye contact

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

In case of skin contact

- Remove contaminated clothing.
- Subsequently wash off with: Water and soap
 Do not wash with: Solvents / thinner
- In case of skin irritation, consult a physician.

If swallowed

- IF SWALLOWED: Immediately call a POISON CENTER / doctor / ...
- IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

If inhaled

- In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still.
- Get medical attention if any discomfort continues.
- In case of respiratory tract irritation, consult a physician.
- If breathing is irregular or stopped, administer artificial respiration.
- Apply cortisone spray at early stage.
- Symptoms may develop several hours following exposure medical observation therefore necessary for at least 48 hours.

4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms / effects

Methaemoglobinaemia

Delayed symptoms / effects

If decomposition products are inhaled the following symptoms can occur:

- Pulmonary oedema

Self-protection for first-aider

First aider: Pay attention to self-protection!



Page 6 of 30 Printing date: 2013-10-17



according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

4.3. Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: Fire fighting measures

Product is an explosive.

Keep unauthorised persons away.

Warn neighbourhood announcing risk of explosion.

5.1. Extinguishing media

Suitable extinguishing media

No fire-fighting attempts, risk of explosion.

Unsuitable extinguishing media

Not applicable

5.2. Special hazards arising from the substance or mixture

Product is an explosive.

Possible combustion gases or vapours

In case of fire may be liberated:

- Ammonia (NH₃)
- Nitrogen oxides (NO_x)
- Carbon monoxide (CO)
- Carbon dioxide (CO₂)

5.3. Advice for firefighters

Special protective equipment for fire fighting

In case of fire: Wear self-contained breathing apparatus.

Measures in case of adjacent fire (Fire has not yet reached product) Co-ordinate fire-fighting measures to the fire surroundings.

Use water spray jet to protect personnel and to cool endangered containers.

Move undamaged containers from immediate hazard area if it can be done safely.

Measures in case of product fire (Fire has just reached the product or is about to reach it) No fire-fighting attempts, risk of explosion.

Immediately evacuate danger zone and seek safe cover.





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

Additional Information

Restrict the number of action force members in the hazard area.

Avoid contact to combustible substances.

Do not inhale explosion and combustion gases.

Collect contaminated fire extinguishing water separately. Do not allow entering drains

or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

For non-emergency personnel

Avoid substance contact.

Do not handle unprotected.

Respect emergency plans.

Ask for support by competent person.

For emergency responders

Close off hazard area widely.

Ask for support by competent person.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Notes on prevention of the spread of spilled materials

Due to the consistency and product packaging spillage of ingredients is not likely.

Instructions for cleaning after spillage

Use only non-sparking tools.

Take up mechanically, placing in appropriate containers for disposal.

Additional Information

When in doubt contact supplier.

6.4. Reference to other sections

Note also section 7, 8, 10 and 13.





Page 8 of 30 Printing date: 2013-10-17

according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Technical measures / Precautions

Only to be handled by authorized persons.

The explosives must be under supervision and unavailable for unauthorized persons.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

Do not subject to grinding / shock / ... / friction.

General occupation hygiene

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Wash hands before breaks and after work.

Keep away from food, drink and animal feeding stuffs.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures / Storage conditions

The cases should be stacked in the manner designated on the cases.

Requirements for storage areas and containers

Store in original container if possible.

Common storage instruction

Storage of explosives and explosive articles should be agreed with national authorities.

Incompatible products

Respect restrictions according to national law.

The product may react with pyritic materials in the ground and create potentially

hazardous situations.

Storage temperature

Best stored between -10 °C and 40 °C.

Relative humidity (%)

Store under normal conditions.

Stability in storage

Stable under normal storage conditions.

Quantitative restrictions

Maximum storage volume should be agreed with national authorities.

Maximum period of storage

Storage life of up to 12 months.

Storage class

Explosive substances.





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

7.3. Specific end use(s)

Read instructions before use.

No other specific end uses than those specified in section 1.2 are provided.

Usage of the product only according to existing laws and official permissions.

SECTION 8: Exposure controls / personal protection

Because of design and shape of the product (explosive inlaid in a plastic wrap with metallic clips at both sides) a contact with ingredients is to be expected only in case of accidental release.

8.1. Control parameters

Exposure limit values

Components / CAS No.	Value	Limit	Basis	Comments
Ammonium nitrate 6484-52-2	-	Not established	-	-
Distillates (petroleum), solvent-dewaxed light paraffinic 64742-56-9	-	Not established	-	-
Base oil derived from petroleum	-	Not established	-	-
Dust	Long term Long term	10 mg/m³ (inhalable dust) 4 mg/m³ (respirable aerosol)	-	UK UK
Ammonia 7664-41-7	Long term Long term Short term Short term	14 mg/m³; 20 ppm 18 mg/m³; 25 ppm 36 mg/m³; 50 ppm 25 mg/m³; 35 ppm	GESTIS GESTIS GESTIS GESTIS	EU ¹⁾ UK EU ¹⁾ UK
Carbon dioxide 124-38-9	Long term Long term Short term	9000 mg/m³; 5000 ppm 9150 mg/m³; 5000 ppm 27400 mg/m³; 15000 ppm	GESTIS GESTIS GESTIS	EU ¹⁾ UK UK





Safety Data Sheet according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 : 02.0 Issue Date of revising: 2013-09-20

Carbon monoxide	Long term	35 mg/m³;	30 ppm	GESTIS	UK
630-08-0	Short term	232 mg/m³;	200 ppm	GESTIS	UK
Nitrogen dioxide	Long term	9.6 mg/m³;	0.2 ppm	GESTIS	EU ²⁾
10102-44-0	Short term		5 ppm	GESTIS	UK
Nitrogen monoxide 10102-43-9	-	Not established		-	-

¹⁾ Indicative Occupational Exposure Limit Values and Limit Values for Occupational Exposure.

Biological limit values

Components / CAS No.	Value	Limit	Specimen	Sampling time
Ammonium nitrate 6484-52-2	-	Not established	-	-
Distillates (petroleum), solvent-dewaxed light paraffinic 64742-56-9	-	Not established	-	-
Ammonia 7664-41-7	-	Not established	-	-
Carbon dioxide 124-38-9	-	Not established	-	-
Carbon monoxide 630-08-0	-	Not established	-	-
Nitrogen dioxide 10102-44-0	-	Not established	-	-
Nitrogen monoxide 10102-43-9	-	Not established	-	-





²⁾ Proposal, Indicative Occupational Exposure Limit Values.

according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

Recommended monitoring methods

The methods for measuring workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

Additional exposure limits under processing conditions

Route of exposure	Exposure frequency	DNEL	Critical component	Comments
Inhalation Inhalation	Long term - systemic effects Long term - systemic effects	37.6 mg/m³ 11.1 mg/m³	Ammonium nitrate Ammonium nitrate	Workers Consumer
Inhalation Inhalation	Long term - Local Long term - Local	5.4 mg/m³/8h 1.2 mg/m³/24h	Distillates (petroleum), solvent-dewaxed light paraffinic	Workers Consumer
Dermal Dermal	Long term - systemic effects Long term - systemic effects	21.3 mg/kg bw/d 12.8 mg/kg bw/d	Ammonium nitrate Ammonium nitrate	Workers Consumer
Oral	Long term - systemic effects	12.8 mg/kg bw/d	Ammonium nitrate	Consumer

PNEC:

Ammonium nitrate: Fresh water: 0.45 mg/L, Marine water: 0.045 mg/L, Intermittent release: 4.5 mg/L, STP: 18 mg/L

8.2. Exposure controls

Limitation and monitoring of occupational exposure

Product related measures to prevent exposure

Keep cases closed and store in a cool, well ventilated place.

Avoid damage of the product.

Instructive measures to prevent exposure

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Use skin care measures in accordance with professional association's rules.

When working with substances minimum standards for protective measures in accordance with professional association's rules should be respected.

Organizational measures to prevent exposure

Minimize the time spent in the danger zone.

Reduce staff in the danger zone to the required level.

Separate storage facilities for street and work clothes should be available when a risk is to be expected from contamination of work clothes.





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 : 02.0 Issue **Date of revising: 2013-09-20**

Technical measures to prevent exposure

See section 7.

Further information: see exposure scenarios attached to this safety data sheet.

Individual protection measures, such as personal protective equipment

Technical measures and the application of suitable work processes have priority over personal protection equipment.

The quality of the protective clothing resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance of the protective clothing to chemicals together with the supplier.

Professional association's rules should be respected.

Eye / face protection	Suitable eye protection: Eye glasses with side protection DIN-/EN-Norms: DIN EN 166
Hand protection	Suitable gloves type: Gloves with long cuffs
	Suitable material: NBR (Nitrile rubber)
	DIN-/EN-Norms: DIN EN 388
Skin protection	Work clothes made from cotton meets the requirements.
	Choice and design of the work clothes to be used depends on the results of the risk assessment for the specific working environment.
	It is necessary to consider the following needs of protection:
	 Protection against heat and open fire (clothing must not melt and not be flammable);
	 Protection against contact with chemicals (the fabric shall not absorb particles of explosives as this would make the fabric more flammable);
	- Protection from electrostatic charging;
	 Protective clothing used to protect against further hazards (reflective clothing, weather proof clothing) must comply with the above requirements.
Respiratory protection	No personal respiratory protective equipment normally required.
	Respiratory protection necessary at: exposure limit overshoot
	Suitable respiratory protection apparatus: Half-face mask (DIN EN 140); Type A2
Hygiene measures	Do not eat, drink or smoke when using this product.
	Wash hands before breaks and after work.
Thermal hazards	No thermal hazard is to be expected.





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

Environmental exposure controls

Product related measures to prevent exposure

Avoid damage of the product.

Instructive measures to prevent exposure

Avoid release to the environment.

Organizational measures to prevent exposure

-

Technical measures to prevent exposure

-

Limitation and monitoring of Consumer exposure

Measures relating to the use of the substance (as such or in mixtures) by the consumer Not applicable, the exposure of consumers is not to be expected.

Measures relating to the use of the substance in articles

Not applicable

SECTION 9: Physical and chemical properties

Robust, packaged emulsion explosive, grey to beige colour, inlaid in a plastic wrap with metallic clips at both sides.

Page 14 of 30 Printing date: 2013-10-17

9.1. Information on basic physical and chemical properties

Appearance Physical state: Solid, pasty

Colour: Light grey, beige

Odour Odourless

Odour threshold Not applicable

pH Not applicable

Melting point / freezing point Not applicable

Initial boiling point and boiling No data available

range

Flash point Not applicable





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

Evaporation rate No data available

Flammability (solid, gas) Not applicable

Upper / lower flammability or explosive limits

Not applicable

Vapour pressure No data available

Vapour density No data available

Relative density 1.10 - 1.25 g/cm³ (20 °C)

Solubility(ies) No data available

Partition coefficient: No data available n-octanol / water

Auto-ignition temperature No data available

Decomposition temperature No data available

Viscosity No data available

Explosive properties Explosive

Oxidising properties Oxidising properties

9.2. Other information

Risk of explosion by shock, friction, fire or other sources of ignition (R2).

See Technical Data Sheet for more information.

SECTION 10: Stability and reactivity

10.1. Reactivity

Risk of explosion by shock, friction, fire or other sources of ignition (R2).

10.2. Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3. Possibility of hazardous reactions

Fire, heat, electrostatic or impact may cause the product to explode.





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

10.4. Conditions to avoid

Mechanical influences (e.g. shock, pressure, impact, friction).

Fire, sparks or other ignition sources.

Electrostatic discharges.

10.5. Incompatible materials

Reducing agent, Acids, Alkalis, Combustible products, Metal powders, Chromates, Zinc, Copper, Copper alloys, Chlorates. Product contact with alkaline substances leads to liberation of ammonia (corrosive).

10.6. Hazardous decomposition products

Ammonia (NH₃), Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity of Ammonium nitrate, CAS No. 6484-52-2

Route of exposure	Value	Effective dose	Species	Basis	Comments
Oral	LD ₅₀	2950 mg/kg bw	Rat	1)	OECD 401
Dermal	LD ₅₀	>5000 mg/kg bw	Rat	1)	OECD 402


¹⁾ SDS of Supplier

Acute toxicity of Distillates (petroleum), solvent-dewaxed light paraffinic, CAS No. 64742-56-9

Route of exposure	Value	Effective dose	Species	Basis	Comments
Oral	LD ₅₀	>5000 mg/kg bw	Rat	1)	OECD 401
Dermal	LD ₅₀	>5000 mg/kg bw	Rabbit	1)	OECD 402
Inhalation	LC ₅₀ (4h)	>5.53 mg/L	Rat	1)	OECD 403

¹⁾ SDS of Supplier







according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

Route of exposure	Value	Effective dose	Species	Basis	Comments
Oral	LD ₅₀	>3095 mg/kg bw	-	ATE _{mix}	Calculation
Dermal	LD ₅₀	>5000 mg/kg bw	-	ATE _{mix}	Calculation

Inhalation is a unlikely route of exposure.

Skin corrosion / irritation	Non-irritant

Serious eye damage / eye Eye Irrit. 2; Causes serious eye irritation (Calculation Tab. 3.3.3, CLP-regulation).

Respiratory or skin
sensitization

It is not a skin sensitizer.

Repeated dose toxicity Ingredients are not classified.

Germ cell mutagenicity Ingredients are not classified.

Carcinogenicity Ingredients are not classified.

Reproductive toxicity Ingredients are not classified.

STOT - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

exposure

STOT - repeated exposure The substance or mixture is not classified as specific target organ toxicant, repeated

exposure.

Aspiration hazard No aspiration toxicity classification.

Information on likely routes of exposure

The primary route of exposure is the dermal route.





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

Mixture versus substance information

Ammonium nitrate:

- Reproductive toxicity: NOAEL ≥1500 mg/kg bw/d;
- Repeated dose toxicity: NOAEL = 256 mg/kg bw/d (chronic, rat)

Distillates (petroleum), solvent-dewaxed light paraffinic:

- Reproductive toxicity: NOAEL ≥1000 mg/kg bw/d

Other information

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity of	Ammonium nitrate,	CAS No. 6484-52-2
-------------	-------------------	-------------------

Acute fish toxicity LC₅₀ (48 h): 447 mg/L (no guideline followed)

Chronic fish toxicity No data available

Acute toxicity to daphnia and other aquatic invertebrates

EC₅₀ (48 h): 490 mg/L (no guideline followed, with potassium nitrate)

Chronic toxicity to daphnia and other aquatic invertebrates

No data available

Acute toxicity to algae

EC₅₀ (10 d): >1700 mg/L (seawater, no guideline followed, performed with

potassium nitrate)

Chronic toxicity to algae

No data available

M-Factor

Not applicable

Further toxicological information

Inhibition of microbial activity: EC₅₀ (3 h): >1000 mg/L, NOEC: 180 mg/L (OECD 209, with sodium nitrate)

Persistence and degradability: The methods of determining this info are not applicable to inorganic substances.

Bioacumulative potential: The substances have no potential for bioaccumulation.

Mobility in soil: The substance is soluble.





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

Toxicity of

Distillates (petroleum), solvent-dewaxed light paraffinic, CAS No. 64742-56-9

Acute fish toxicity

LC₅₀ (96 h): >100 mg/L (Pimephales promelas, OECD Guideline 203)

Chronic fish toxicity

No data available

Acute toxicity to daphnia and other aquatic invertebrates

EC₅₀ (24 h): >1000 mg/L (Daphnia magna, OECD 202 (equivalent), static)

Chronic toxicity to daphnia and other aquatic invertebrates

NOEC (21 d): 10 mg/L (Daphnia magna, OECD Guideline 211 (equivalent))

Acute toxicity to algae

No data available

Chronic toxicity to algae

≥100 mg/L (Pseudokirchneriella subcapitata, OECD Guideline 201,

static'

M-Factor

Not applicable

NOEC (72 h):

Further toxicological information

Persistence and degradability:

This component is not readily biodegradable.

It is not expected to hydrolysis in water.

Some ingredients meet the criteria for persistence in the environment.

Bioacumulative potential:

Some ingredients meet the criteria for bioaccumulation.

Mobility in soil:

Mobility in soil is reduced and the dominant process is the adsorption.

Toxicity of

Senatel™ Pulsar™

Acute fish toxicity

No data available

Chronic fish toxicity

No data available

Acute toxicity to daphnia and other aquatic invertebrates

No data available

Chronic toxicity to daphnia and other aquatic invertebrates

No data available

Acute toxicity to algae

No data available


Chronic toxicity to algae

No data available

M-Factor

Not applicable







according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

Further toxicological information

No data available

12.2. Persistence and degradability

Biodegradation No data available

Hydrolysis No data available

12.3. Bioaccumulative potential

Partition coefficient: n-octanol / water

No data available

Bioconcentration factor (BCF)

No data available

12.4. Mobility in soil

Based on the high content of soluble ingredients a low potential for adsorption is to be expected.

12.5. Results of PBT and vPvB assessment

The PBT and vPvB criteria of Regulation (EC) No 1907/2006, Annex XIII will not be met.

12.6. Other adverse effects

Excessive exposure of ammonium nitrate or Senatel™ Pulsar™ can lead to an over-fertilization of soil and waters; therefore a careful handling of the product is mandatory.

SECTION 13: Disposal considerations

Waste material must be disposed of in accordance with Directive on waste 2008/98/EC as well as other national and local regulations. It is recommended to stay in contact with the authorities and / or waste disposal company to request further information about the recovery or disposal.

13.1. Waste treatment methods

Leave product in original containers. No mixing with other waste. If possible take advantage of take-back systems for products and packaging.





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

Product residues

Burn under supervision of an expert at a government-approved explosive burning ground or destroy, by detonation in boreholes, in accordance with applicable local, provincial and federal laws.

Packaging

Handle uncleaned containers like the product itself.

Waste classification according to EWC

The allocation of waste identity numbers / waste descriptions must be carried out according to the EWC, specific to the industry and process. Evidence for disposal must be provided.

List of proposed waste codes / waste designations in accordance with EWC:

16 04 03 Other waste explosives

SECTION 14: Transport information

14.1. UN number

0241

14.2. UN proper shipping name

EXPLOSIVE, BLASTING, TYPE E (Senatel™ Pulsar™)

14.3. Transport hazard class(es)

1.1D

14.4. Packing group

Not applicable

14.5. Environmental hazards

Dangerous for the environment No

IMDG Marine pollutant No

14.6. Special precautions for user

Attention: explosive product





Page 21 of 30 Printing date: 2013-10-17

according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Name of product

Not applicable, transport in bulk is not to be expected.

Required type of ship

Pollution category

_

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

European regulations Directive 67/548/EEC (Dangerous Substance Directive)

Directive 1999/45/EC (Dangerous Preparation Directive)

Directive 2008/98/EC (Waste Framework Directive)

Regulation 1907/2006/EC (REACH) Regulation 1272/2008/EC (CLP)

National regulations Approval conditions must be respected.

Compare national regulations for handling with explosives.

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

- Ammonium nitrate, CAS No. 6484-52-2

SECTION 16: Other information

List of relevant H and P statements

H201	Explosive: mass	explosion hazard.
11201	LADIUSIVE, IIIASS	EXPIUSIUM Mazaru.

H272 May intensify fire; oxidiser.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P250 Do not subject to grinding / shock / ... / friction.

P280 Wear protective gloves / protective clothing / eye protection / face protection.

P370+P380 In case of fire: Evacuate area.
P372 Explosion risk in case of fire.

P373 DO NOT fight fire when fire reaches explosives.





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

List of relevant R and S phrases

R2 Risk of explosion by shock, friction, fire or other sources of ignition.

R8 Contact with combustible material may cause fire.

R36 Irritating to eyes.

R65 Harmful: may cause lung damage if swallowed.

S15 Keep away from heat.

S16 Keep away from sources of ignition — No smoking.

S20/21 When using do not eat, drink or smoke.

S33 Take precautionary measures against static discharges.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

Training advice

Employees should be trained before handling the substance.

Refresher training should be scheduled at regular intervals and in accordance with legal requirements.

Recommended restrictions on use

Please note the use identified in section 1.2.

Further information

ID Identification number

PBT Persistent, bioaccumulative and toxic vPvB Very persistent and very bioaccumulative

C&L Classification and Labelling

EC No. The three European lists of substances from the previous EU chemicals regulatory framework,

EINECS, ELINCS and the NLP-list, in combination are called the EC Inventory. The EC Inventory is the source for the seven-digit EC number, an identifier of substances commercially available

within the European Union.

CAS No. Chemical Abstracts Service Number

UN RTDG United Nations Regulations on the Transport of Dangerous Goods

Expl. 1.1 Explosives, Division 1.1

Ox. Sol. 3 Oxidising solid, Hazard Category 3

Eye Irrit. 2 Serious eye damage / eye irritation, Hazard Category 2

E Explosive





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

O Oxidizing

Xi Irritant

R phrases Risk phrases
S phrases Safety phrases

EUH European Hazard Statement

CLP Regulation (EC) No 1272/2008 of the European parliament and of the council of 16 December

2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

REACH Regulation (EC) No 1907/2006 of the European parliament and of the council of 18 December

2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,

93/105/EC and 2000/21/EC.

STOT Specific Target Organ Toxicity

STOT - RE Specific Target Organ Toxicity — repeated exposure

K_{OW} Octanol-water partition coefficient

DIN-/EN Norm German Industry Standard / European Standard

A2 Filter category A2

BCF Bioconcentration factor LD₅₀ Median lethal dose

LC₅₀ Median lethal Concentration

EC₅₀ The effective concentration of substance that causes 50% of the maximum response.

ATE_{mix} Acute Toxicity Estimates of mixture
PNEC Predicted No Effect Concentration

PEC Predicted Environmental Concentration

RCR Risk Characterisation Ratio

NOEC No Observed Effect Concentration

NOAEL No Observed Adverse Effect Level

DNEL Derived No Effect Level

CSA Chemical Safety Assessment RMM Risk Management Measures

OC Operational Conditions

OECD Organisation for Economic Co-operation and Development

STP Sewage Treatment Plant

bw Body weight





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

bw/d Body weight / day

SU Sector of Use
UK United Kingdom

EWC European Waste Catalogue

EU European Union

EC European Community

EEC European Economic Community

Sources of key data used to compile the Safety Data Sheet

GESTIS Database

TOXNET Database

Senatel™ Pulsar™ Technical Data Sheet

Information which has been added, deleted or revised

Changes to the previous version are marked by "|" on the left side of the document.

The information contained is based on the present state of our knowledge.

It characterizes the product with regard to the appropriate safety precautions.

It does not represent any guarantee with regard to product.





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

1. Exposure Scenario (1)

Ammonium nitrate, Exposure scenario (2):

Industrial use for formulation of preparations / articles, intermediate use and end-use in industrial settings.

Sector of use (SU) SU3: Industrial uses: Uses of substances as such or in preparations at industrial

sites

SU10: Formulation [mixing] of preparations and/or re-packaging (excluding alloys)

Chemical product category PC11: Explosives (PC)

PC19: Intermediate

Process category (PROC) PROC1: Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional controlled exposure

PROC3: Use in closed batch process (synthesis or formulation)

PROC5: Mixing or blending in batch processes for formulation of preparations and

articles (multistage and/or significant contact)

PROC8a: Transfer of substance or preparation (charging/discharging) from/to

vessels/large containers at non-dedicated facilities

PROC8b: Transfer of substance or preparation (charging/discharging) from/to

vessels/large containers at dedicated facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling

line, including weighing)

PROC13: Treatment of articles by dipping and pouring

PROC15: Use as laboratory reagent

Article category (AC) Not applicable

Environmental Release ERC2: Formulation of preparations

Category (ERC) ERC6a: Industrial use resulting in manufacture of another substance (use of

intermediates)

2. Contributing scenarios

2.1. Contributing scenario (1) controlling environmental exposure for ...

ERC2: Formulation of preparations

ERC6a: Industrial use resulting in manufacture of another substance (use of intermediates)

An environmental assessment has not been performed as the substance does not meet the criteria for being classified as dangerous for the environment.





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

Product characteristics

Amount used

Frequency and duration of use

Environment factors not influenced by risk management

Other given operational conditions affecting environmental exposure

Technical conditions and measures at process level (source) to prevent release

Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil

Organizational measures to prevent / limit release from site

Conditions and measures related to municipal sewage treatment plant

Conditions and measures related to external treatment of waste for disposal

Conditions and measures related to external recovery of waste

Flow rate: Dilution Factor (River): -

Intermittent use / release:

According to the above described process categories.

Number of emission days per year: Not applicable

Emission or Release Factor:

Air: Water:

-





Page 27 of 30 Printing date: 2013-10-17

according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

2.2. Contributing scenario (2) controlling worker exposure for:...

PROC1: Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional controlled exposure

PROC3: Use in closed batch process (synthesis or formulation)

PROC5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or

significant contact)

PROC8a: Transfer of substance or preparation (charging / discharging) from/to vessels/large containers at non-

dedicated facilities

PROC8b: Transfer of substance or preparation (charging / discharging) from/to vessels/large containers at dedicated

facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC13: Treatment of articles by dipping and pouring

PROC15: Use as laboratory reagent

Product characteristics Solid, low dustiness

Liquid

Amount used Not applicable

Frequency and duration of use / exposure More than 4 hours per day

Human factors not influenced Not applicable

Other given operational Indoors conditions affecting workers

exposure

by risk management

nnical conditions and Not applicable

Technical conditions and measures at process level (source) to prevent release

Technical conditions and Containment as appropriate measures to control

dispersion from source Good standard of general ventilation

Organisational measures to prevent / limit releases, dispersion and exposure

towards the worker

Not applicable





www.oricaminingservices.com

according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

Conditions and measures related to personal protection, hygiene and health evaluation

Chemical goggles

3. Exposure estimation and reference to its source								
Exposure estimation for the environment								
Contributing Scenario	Exposure Assessment Method	Specific conditions	Environment	Value	Level of Exposure (PEC)	RCR (PEC/PNEC)		
-	-	-	-	-				

An environmental assessment has not been performed as the substance does not meet the criteria for being classified as dangerous for the environment.

Exposure estimation for workers

Contributing Scenario	Exposure Assessment Method	Specific conditions	Value	Level of Exposure	RCR
-	-	-	-	-	-

A qualitative approach was used to conclude safe use for workers.

The leading toxicological effect is eye irritation (local endpoint), for which no DNEL can be derived as no dose-response information is available. As minimal systemic effects were only noted at such high levels of substance that humans are normally not exposed to (see DNELs), a quantitative assessment is not considered necessary.

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

No additional risk management measures, besides those that are mentioned above, are needed to guarantee safe use for workers.





according to regulation 453/2010/EU amending 1907/2006/EC

The Power of Partnership

Senatel™ Pulsar™ (1.1D)

SDS No. : 4029 Issue : 02.0 Date of revising : 2013-09-20

5. Additional good practice advice beyond the REACH CSA

Additional good practices (Operational Conditions and Risk Management Measures) beyond the REACH Chemical Safety Assessment established within Chemical Industry are also advised and communicated through Safety Data Sheets, Such as:

- Containment as appropriate;
- Minimise number of staff exposed;
- Segregation of the emitting process;
- Effective contaminant extraction;
- Good standard of general ventilation;
- Minimisation of manual phases;
- Avoidance of contact with contaminated tools and objects;
- Regular cleaning of equipment and work area;
- Management / supervision in place to check that RMMs in place are being used correctly and OCs followed;
- Training staff on good practice;
- Good standard of personal hygiene.





